







The Yacht Group's Yacht Controller, is arguably the "most trusted product in the marine industry", in service on more than 17K vessels of more than 200 brands of builders. Our backlit letters proudly adorn the worlds most prestigious yachts, our Yacht Cam thermal and low light cameras provide the extra edge in night navigation, and our thrusters help thousands of boats to more easily navigate. Now served by our own team and an international network of dealers and installers, we are proud to sell and service the world's finest searchlights Carlisle and Finch Co.

For More Information Sales@TheYachtGroup.com +1-305-667-5811

JACHTBEAM.COM

CF Searchlights.com

### Carlisle and Finch invented the world's first Carbon Arc searchlight in 1895 and the rest is History'

Since that time, The Carlisle & Finch Co. has become the world leading manufacturer of the highest quality and brightest searchlights. The Company further enhanced its reputation as the industry leader when it pioneered the development of high intensity Xenon Arc searchlights.

Today, the Company remains the standard of the U.S. Navy, Coast Guard (including aid to navigation coastal lighting), the national and international commercial marine industries, as well as the world's most prestigious yacht builders.

U. S. COAST GUARD





# EXTREME BEAM XENON ARC SEARCHLIGHTS



CF% 200 15 Million Candle Power

2.5 Mile Visibility Unrestricted 360° Motion Upside Down Mounting Available



CF% 350 25 Million Candle Power

3+ Mile Visibility **LED Hybrid Option** Electric Beam-Size Focus Knob Upside Down Mounting Available



CF% 500 **45** Million Candle Power

4+ Mile Visibility **LED Hybrid Option** Electric Beam-Size Focus Knob

**CUSTOM OPTIONS UPON REQUEST** 

THERMAL CAMERA LOW LIGHT COLOR CAMERA SPARKLING CHROME FINISH

Smart**VIEW™** CONTROL HIGH POWERED STROBE **ANTI-ICING HEATERS** 

POSITION INDICATOR DETACHABLE IR FILTER CUSTOM POWDER COAT COLORS



SECURITY PACKAGES INCLUDE SEARCHLIGHT COVERT IR/THERMAL, LED "WALL OF LIGHT" AND NON-LETHAL STROBE DEFENSE





## Nightfinder-Led'

Visible and Invisible Infrared LED Beams

### Visible LED Beam – 800 Meters

- Brightly illuminates subject in invisible beam area
- Strobe feature provides non-lethal deterrent

### Invisible IR Beam – 1000 Meters

- Allows for covert operation using NO visible light
- Can distinguish threats, names, numbers, etc.
- Can view through a ship's wheelhouse glass for identifying threats '
- Functions as HD lowlight camera in daytime

**FEATURES:** Proportional Speed Joystick | Position Indicator | Auto-Home Return | Available in Sparkling Chrome or Powder Coat Colors



## HALOGEN AND LED

**SEARCHLIGHTS** 


#### SPECIAL FEATURES

- Up-to 4.5 Million Beam Candle Power
- Salt-Resistant Powder Coat Finish
- Custom Colors available
- 115VAC or 230VAC
- Beam-Speed Control Dial adjusts speed
- Anti-icing Heaters (Motorized Base Only)

### Sizes Available

- 10-12-15-inch (254/305/381mm)
- 19-inch (483mm)

### CF The Brightest Beam you will never see!



HARBOR IN TOTAL DARKNESS




**HOUSE ON DARK SHORELINE** 



HARBOR WITH IR ILLUMINATOR ON



HOUSE WITH IR ILLUMINATOR ON



## Nightfinder

### SECURITY UPGRADE FEATURES

Low Light Thermal Camera | Invisible IR Beam Hybrid LED | Non-Lethal Strobe

### **A Complete Security Solution**

Even the highest end long range Night Vision Systems can only see in one direction at one time. NightFINDER™ upgrade systems help form a "Circle of Safety" around the vessel, seeing covertly on all sides concurrently!

### **Precise Alignment**

Precise alignment of the searchlight and Camera on the same target, allows them to track on that same target as the Pan/Tilt base moves. As a result, the camera can be used as a "Covert Targeting Device" to strategically light up a person or object!

#### **High Powered Strobe**

Blinds and disorients the intruder, transforming the NightFINDER™ into a Powerful Non-Lethal Weapon!

### **LED Wall of Light**




Search **And Rescue** 



See Intruders Covertly!




Bridge UN**SEEN** at Night!



Bridge **SEEN** with **CF** THERMAL Camera!








## WALL OF LIGHT

XENON SEARCHLIGHT PROVIDES AN INTENSE FOCUSED LONG RANGE BEAM

LED Beam creates a wide beam "Wall of Light" 100 meters wide at a distance of 200 meters long.



### **The Hybrid Searchlight**

Xenon Beam services long distance and LED's illuminate wide areas at close range. Two lighting technologies combined into one versitile product! **LED** Add ons provide strategic illumination for the following: Search and Rescue, Docking, Spotting Floating Debris, Security, Strobe for Non-Lethal Defense, and More...



### PRODUCT MATRIX







**XENON** 

**HALOGEN** 

|                             | 200 Watt | 350 Watt (C) | 500 Watt | 10-inch Class: | 12-inch Class. | 15-inch Class. | 10-inch Class | 12-inch Class: | *NightFINDER | JER-LED" (12.) |
|-----------------------------|----------|--------------|----------|----------------|----------------|----------------|---------------|----------------|--------------|----------------|
| Anti-Icing Heaters          |          | <b>√</b>     | <b>√</b> | ✓              | ✓              | ✓              | ✓             | ✓              | ✓            |                |
| Azimuth Indicator           | ✓        | ✓            | ✓        |                |                |                |               | ✓              | <b>√</b>     |                |
| Base-Up                     | ✓        | <b>√</b>     |          |                |                |                |               |                |              |                |
| Candlepower - in Millions   | 15       | 25           | 45       | 1              | 1.5            | 3              | 0.7           | 1              | 0.7          | 1              |
| Custom Cable Length         | <b>✓</b> | <b>√</b>     | <b>√</b> | <b>√</b>       | ✓              | <b>√</b>       | <b>√</b>      | ✓              | <b>√</b>     |                |
| Custom Color                | ✓        | <b>√</b>     | ✓        | ✓              | ✓              | ✓              | ✓             | ✓              | <b>√</b>     |                |
| Distance Served - in Meters | 3873     | 5000         | 6708     | 1000           | 1225           | 1732           | 836           | 1000           | 836          |                |
| Electric Beam-Size Focus    | <b>✓</b> | ✓            | ✓        |                |                |                |               |                |              |                |
| LED Hybrid                  |          | ✓            | ✓        |                | ✓              | ✓              |               | ✓              | ✓            |                |
| Lever Control (Manual)      |          | ✓            | <b>√</b> | ✓              | ✓              | ✓              | <b>√</b>      | <b>√</b>       | <b>√</b>     |                |
| NightFINDER™ (Lowlight)     |          | ✓            |          |                |                |                |               |                | ✓            |                |
| NightFINDER™ (Thermal)      | ✓        |              |          |                |                |                |               |                |              |                |
| Polished Brass Finish       |          | ✓            | <b>√</b> | ✓              | ✓              | ✓              | <b>√</b>      | ✓              | <b>√</b>     |                |
| SmartVIEW™                  | ✓        | <b>√</b>     | <b>√</b> |                | ✓              |                |               | <b>√</b>       | ✓            |                |
| Sparkling Chrome Finish     |          | ✓            | ✓        | <b>√</b>       | ✓              | <b>√</b>       | <b>√</b>      | ✓              | <b>√</b>     |                |
| Strobe                      | ✓        | <b>√</b>     |          |                |                |                | <b>√</b>      | <b>√</b>       | <b>√</b>     |                |
|                             |          |              |          |                |                |                |               |                |              |                |

